Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1-14. (canceled)

- 15. (currently amended) A process of producing a fructo-oligosaccharide or fructo-polysaccharide, having $\beta(2-1)$ linked D-fructosyl units or having $\beta(2-6)$ linked D-fructosyl units comprising forming a mixture by combining sucrose with at least one reaction partner selected from the group consisting of:
- a) a protein having fructosyltransferase activity, which exhibits at least 75% 85% amino acid identity, as determined by a BLAST algorithm, with an amino acid sequence of SEQ ID No. 1 0% 11,
- b) a recombinant host cell containing one or more copies of a nucleic acid construct gene encoding for said protein
 (a) and capable of expressing said protein; and
- c) a Lactobacillus strain expressing protein (a) having fructosyltransferase activity,

wherein said reaction partner interacts with sucrose to produce a fructo-oligosaccharide or fructo-polysaccharide.

16-18. (canceled)

- 19. (previously presented) The process according to claim 15, wherein said protein is a recombinant protein.
- 20. (currently amended) A process according to claim 16

 15, further comprising chemically modifying said oligosaccharide or polysaccharide by simultaneous 3- and 4-oxidation, by 1-or 6-oxidation, phosphorylation, acylation, hydroxyalkylation, carboxymethylation, amino-alkylation of one or more anhydrofructose units, or by hydrolysis.
- 21. (currently amended) The process according to claim 15, further comprising adding a food grade vehicle or beverage composition to said mixture to obtain a prebiotic composition.
- 22. (currently amended) The process according to claim 15, further comprising adding to said mixture a *Lactobacillus* strain capable of producing an oligosaccharide or polysaccharide and optionally a food-grade vehicle food or beverage composition, to obtain a symbiotic composition.
- 23. (currently amended) A process of producing a fructo-oligosaccharide or fructo-polysaccharide, having $\beta(2-1)$

linked D-fructosyl units or having $\beta(2-6)$ fructosyl units comprising combining sucrose and a protein to form a mixture, said protein having fructosyltransferase activity, which exhibits at least 85% amino acid identity, as determined by a BLAST algorithm, with an amino acid sequence of SEQ ID No. 1 or 11, and

interacting said sucrose with said protein to produce said fruco-oligosaccharide or fructo-polysaccharide.

24. (new) A process for producing a fructo-oligosaccharide or fructo-polysaccharide, having $\beta(2-6)$ linked D-fructosyl units comprising forming a mixture by combining sucrose with a reaction partner, wherein said reaction partner is a recombinant host cell containing one or more copies of a nucleic acid construct encoding for a protein having fructosyltransferase activity, which exhibits at least 85% amino acid identity, as determined by a BLAST algorithm, with an amino acid sequence of SEQ ID No. 11, and wherein said reaction partner interacts with sucrose to provide a fructo-oligosaccharide or fructo-polysaccharide.

25. (new) A process according to claim 24, further comprising chemically modifying said oligosaccharide or polysaccharide by simultaneous 3- and 4-oxidation, by 1-or 6-oxidation, phosphorylation, acylation, hydroxyalkylation,

carboxymethylation, amino-alkylation of one or more anhydrofructose units, or by hydrolysis.